



Beautiful buildings for the finest of gardens



HSP Garden Buildings design, manufacture and install a comprehensive collection of structures that range from arbours and gazebos through to magnificent summerhouses and bespoke structures.

A wealth of design and manufacturing experience together with a dedicated, friendly and professional team gives us the ability to produce to the highest standards. The use of only the finest quality materials in each of our designs also ensures both a beautiful and sturdy finish to each.

We embrace technology, innovation and continuous improvement in our manufacturing process and believe that a garden structure must be more than simply functional. Be it to read, dine, work, or merely escape with a glass of wine, whatever the reason, any of our structures will become an important part of your garden. We therefore believe each building deserves from us the same care that you give when you're considering which to choose.

All of our designs are produced at our modern 21,000 sq ft workshops by skilled craftsmen to exacting standards using the most modern machinery combined with the very best of construction traditions.

So whether you choose from our range included here, or from your own initial concept, we are well placed to design, produce and fully construct your garden building whatever and wherever it may be.

Telephone: 0800 085 0005

Holkham Gazebo.....	4
Oxborough Gazebo	5
Stow Gazebo.....	6
Kent Seat.....	7
Potting Shed	8
Bothy	9
Lavenham Summerhouse.....	10
Stow Summerhouse	12
Chelsea Summerhouse.....	14
Holkham Summerhouse	16
Braemar Summerhouse	18
Ardley Gazebo	20
Tunstall Summerhouse.....	21
Airlie Summerhouse	22
Reading Room	23
Bespoke Projects.....	24
Commercial Projects.....	25
Lynford Arbour	26
Burwell Arbour.....	27
Caston Arbour	28
Windsor Arbour	29
Lynford Store / Lynford Eco-Store	30
Q&A.....	31



Holkham Gazebo

4



Lavenham Summerhouse

10



Stow Summerhouse

12



Chelsea Summerhouse

14



Bespoke Projects

24



Lynford Arbour

26



Holkham Gazebo (2400) With Cathedral Roof, Colour Ballater

Hexagonal in shape, featuring three open sides and three trellised or solid sides, the Holkham Gazebo is ideal to tuck away in a secluded leafy part of the garden, or placed as an elegant centre piece around which the garden can be created. Either way it is designed as an airy yet sheltered space from which to enjoy any garden.

Handmade trellis is to be found on all framework, a traditional lead roof over shaped rafters and our wide choice of colours all combine to produce a most elegant effect to compliment any setting.

We use hardwoods in construction alongside modern materials where best suited to produce a product of timeless beauty and longevity.

The Holkham Gazebo can be adapted to suit its situation through choice of size, roof shape, colour and benches.

Particular consideration should also be given to panel type. The option of solid tongue and groove effect panels provides additional privacy and screening if required, whereas trellised panels are designed as a perfect frame for climbing plants (three trellis panels will be supplied unless stated).


HOLKHAM GAZEBO SPECIFICATIONS

Dimensions
(Internal Between Panels)

1900mm (6ft 2")
2400mm (7ft 9")

Ordering Options

1. Colour
2. Model Size – See Above
3. Roof Style – Cathedral or Bell
4. Benches – Optional (Yes or No)
5. Panel Style – Three Solid or Three Trellised Or Combination





Oxborough Gazebo (2400) With Bell Roof, Colour Verte de Terre

OXBOROUGH GAZEBO SPECIFICATIONS

Dimensions


(Internal Between Panels)

2400mm (7ft 9")

3000mm (9ft 8")

Ordering Options

1. Colour
2. Model Size – See Above
3. Roof Style – Cathedral or Bell
4. Benches – Optional (Yes or No)
5. Panel Style – Five Solid or Five Trellised Or Combination



Octagonal in shape, the Oxborough Gazebo represents an extension to the Holkham range. With three open and five enclosed bays it enjoys the same flexibility as the Holkham, suiting both secluded areas of the garden and focal points.

We have also included the option of choosing solid panels instead of trellised where privacy is required. In circumstances where these are preferred (up to a maximum of five) please specify at the time of order.

Its lead roof will mellow over time to a natural blue / grey colour, producing one of the most attractive and traditional roof coverings possible. A choice of colour from our range and optional colour matching service ensure that each of our gazebos can be made unique to individual tastes.

As with all our designs, attention to fine detail sets the Oxborough Gazebo apart. We form a classic "scroll" detail at the base of each entrance arch and every fixed panel includes a tongue and groove effect lower solid section. The roof is capped with decorative finial and the inside of the roof is decorated and displayed, giving an attractive vaulted ceiling appearance.



Stow Gazebo (4400x2400), Colour Riverstone

How to make the most of the long lazy evenings is when our thoughts often turn to summer entertaining. The only question is how do you accommodate your guests? The Stow Gazebo is conceived as an entertaining or function pavilion. In the shape of an elongated octagon it provides the space to sit around a central table or a place to take refuge when the heavens open!

Subtle lighting inside the vaulted style ceiling allow summer evenings to continue long after the sun has disappeared and as with our range of gazebos, if privacy is preferred any of these panels can be exchanged to solid boarding for privacy.

The Stow Gazebo is more than simply functional however, offering a focal point around which a garden might be planned or re-modelled.

A choice of colour from our water based range ensures individuality and makes occasional paint "touch up" simple without the need for sanding and undercoat preparation, keeping the gazebo looking fresh for years to come.


STOW GAZEBO SPECIFICATIONS

Dimensions
(Internal Between Panels)

3600mm x 2400mm (11ft 8" x 7ft 9")
4400mm x 2400mm (14ft 4" x 7ft 9")
5200mm x 2400mm (17ft 1" x 7ft 9")
4400mm x 3000mm (14ft 4" x 9ft 8")
5200mm x 3000mm (17ft 1" x 9ft 8")

Ordering Options

1. Colour
2. Model Size – See Above
3. Panel Layout





Kent Seat, Colour Verte de Terre

KENT SEAT SPECIFICATIONS

Dimensions (Max)

2100mm x 1200mm x 3100mm
(6ft 11" x 3ft 11" x 10ft 2")

Based on one of the finest classic English designs and standing over three metres high, our Kent Seat makes a grand focal point around which to construct a garden design.

A carefully considered roof pitch over sturdy posts gives the Kent Seat an elegant appearance whilst retaining its stability. Handmade trellis at each side is ideal for climbing plants, whilst a solid back and sheet lead roof covering all provide protection from the elements.

A choice of colour from our water based range ensures individuality and makes occasional paint "touch up" simple without the need for sanding and undercoat preparation, keeping the arbour looking fresh for years to come.



Potting Shed (2400x1800), Colour Riverstone

The term "Shed" is loosely applied to our Potting Shed. Yes it can serve as a general garden store cum potting shed without detracting from its surroundings as so many "sheds" do, but it can also happily serve as a summerhouse, providing all the benefits of a room within the garden.

We fit the building with a plywood floor, lead roof and double doors for improved access. Brass ironmongery, toughened glass, double skin panels all demonstrate our attention to detail and a quality fit to suit any surroundings.

As with all our products, a choice of colour from our water based range further ensures individuality and makes occasional paint "touch up" simple without the need for sanding and undercoat preparation, keeping the Potting Shed looking fresh for years to come.


POTTING SHED SPECIFICATIONS

Dimensions
(Internal Between Panels)

2400mm x 1800mm (7ft 9" x 5ft 9")
3400mm x 1800mm (11ft 2" x 5ft 9")

Ordering Options

1. Colour
2. Model Size – See Above
3. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)





Bothy, Colour Riverstone


BOTHY SPECIFICATIONS

Dimensions
(Internal Between Panels)

2100mm (6ft 10") x 2100mm (6ft 10")

Ordering Options

1. Colour
2. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)



An old Scottish word meaning "simple communal structure" might not immediately spring to mind when contemplating this summerhouse; however our intention was to create a smaller structure with an elegant façade and roof style. We believe the Bothy fits the bill and somehow so too does the name!

Square in shape with a finial atop a slightly swept "cathedral" roof, the Bothy might be better thought of as a place for seclusion, perfect for one, cosy for two perhaps.

Features include a painted finish, glazed front with double opening doors, a small side "peephole" window and sheet lead roof.



Lavenham Summerhouse (3800) With Bell Roof, Colour Clotted Cream

An elegant octagonal design with a Victorian feel, attention to detail is clear in the design of Lavenham Summerhouse. From fluted posts to arched tracery, every aspect of its design creates a structure fit to command a place in the finest of gardens.

With five of its eight bays fully opening (excluding 3800 model) the Lavenham Summerhouse can be opened up to the garden, producing both cover from direct sunlight and excellent cross ventilation.

Our traditional lead roof design will mellow over time to a pleasing blue / grey colour and this added to a mainly hardwood construction will ensure longevity of the structure.

The 2400 and 3000 models are fitted with five opening bays as standard which can be positioned to best suit at time of installation whilst the 3800 model is completed by three opening bays and two fixed but glazed panels which can also be positioned at time of installation.

With year round structures growing ever more popular we have also added an insulated option to the range, double glazed and insulated panels and roof provide a year round use capability, the structure thus becoming an extension to the house, yet separate from it.


LAVENHAM SUMMERHOUSE SPECIFICATIONS

Dimensions
(Internal Between Panels)

2400mm (7ft 9")
3000mm (9ft 8")
3800mm (12ft 5")

Ordering Options

1. Colour
2. Model Size - See above
3. Roof Style - Cathedral or Bell
4. Floor Style - Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Lavenham Summerhouse (2400) With
Cathedral Roof, Colour Clotted Cream





Stow Summerhouse (5200x3000), Colour Gardenia

The Stow Summerhouse takes an octagonal form and "stretches" its width. Three sets of double doors aid ventilation on those long hot days, and a vaulted ceiling with ridge incorporating low voltage halogen down-lights provides subtle lighting when the daylight fades.

Fluted hardwood posts, moulded post brackets and solid brass fittings further demonstrate our attention to detail, giving the Stow Summerhouse both a superior quality finish and construction designed for longevity.

We have made the Stow Summerhouse available in a number of different dimensions, and the insulated option transforms the summerhouse into a year round structure.

Each top glazed section is finished with individually crafted tracery.

Our own "kingsland" finials proudly sit atop and finish our trade mark lead roof.


STOW SUMMERHOUSE SPECIFICATIONS

Dimensions
(Internal Between Panels)

3600mm x 2400mm (11ft 8" x 7ft 9")
4400mm x 2400mm (14ft 4" x 7ft 9")
5200mm x 2400mm (17ft 1" x 7ft 9")
4400mm x 3000mm (14ft 4" x 9ft 8")
5200mm x 3000mm (17ft 1" x 9ft 8")

Ordering Options

1. Colour
2. Model Size - See above
3. Floor Style - Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Stow Summerhouse (5200x3000),
Colour Verte de Terre



Stow Summerhouse
(4400x3000), Colour Ballater





Chelsea Summerhouse (4200x3000), Colour Steel Symphony

A rectangular design with a gently sweeping roof, the Chelsea Summerhouse sits elegantly in any situation. Its bi-fold doors, hung from solid brass hinges occupy four panels along its front elevation, and when fully opened reveal an unparalleled view of the garden with a width approaching 2 metres (6ft 6").

Additional opening doors at each end are included to aid cross ventilation and also produce excellent lighting qualities which allow use well into the evening; and for when the light finally does fade we have added subtle low voltage lighting to the vaulted ceiling as standard throughout the range.

Solid hardwood posts with a fine fluting detail, hardwood doors and cills along with a sheet lead roof provide longevity in a piece of timeless design.

We have designed a range of standard sizes to suit most situations, but can further customise the layout as circumstances dictate. For details on how to adapt the design to suit your individual requirements please contact our design team.

So when the work in the garden is done and you need a place in which to relax and admire your efforts, what better place than to sit back and enjoy the view from a summerhouse with bifold doors that fold and tie back.


CHELSEA SUMMERHOUSE SPECIFICATIONS

Dimensions
(Internal Between Panels)

3200mm x 1800mm (10ft 5" x 5ft 9")
3200mm x 2400mm (11ft 5" x 7ft 9")
3800mm x 2400mm (12ft 5" x 7ft 9")
4200mm x 3000mm (13ft 8" x 9ft 8")

Ordering Options

1. Colour
2. Model Size - See above
3. Floor Style - Plywood (Fitted As Standard) or Hardwood (Optional Extra)





Chelsea Summerhouse
(3800x2400), Colour Stoney Down



Chelsea
Summerhouse
(3200x2400),
Colour Riverstone



Holkham Summerhouse (1900) With Cathedral Roof, Colour Gardenia

We all seek solitude occasionally, to read, write or perhaps just to reflect, whatever the reason a smaller summerhouse tucked away in a private corner of the garden offers an "escape". This was our inspiration behind the Holkham Summerhouse.

A six sided design, it is well lit, ventilated and its beautiful proportions invite you to make yourself at home at any time of day. Open up and tie back its three pairs of doors when the temperature rises, it still offers shade, and close them up to create a snug sanctuary when it gets chilly.

The attention to detail is obvious when you study the finer features, glazing tracery and moulded brackets above each corner post bring the structure and roof "together".

We focused all our attentions into creating just one model size of Holkham Summerhouse, our first hexagonal closed structure, and are proud to offer you the result.


HOLKHAM SUMMERHOUSE SPECIFICATIONS

Dimensions
(Internal Between Panels)

1900mm (6ft 3")

Ordering Options

1. Colour
2. Roof Style – Cathedral or Bell
3. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Holkham Summerhouse (1900) With Cathedral
Roof, Colour Orchestrated Steel





Braemar Summerhouse (4500x2500), Colour Ballater

An elegant rectangular design, the Braemar Summerhouse has an Edwardian feel, with form and function paramount. Glazed across its entire frontage and part to its sides, it offers both panoramic views and excellent internal lighting qualities.

A ventilated top box incorporating low voltage down-lighting provides both comfort when the weather is hot, and subtle lighting in late evening. In addition to double opening doors along its front, glazed panels at each end also open fully allowing the breeze to flow throughout the building.

An option to insulate the building adds the possibility to turn the Braemar "Summerhouse" into a year round structure; an office, design studio or simple retreat perhaps; and our extensive range of colour options should fit most surroundings perfectly.

Finer details are also included in the Braemar Summerhouse with arched tracery to each glazed panel and fluting to each post.

BRAEMAR SUMMERHOUSE SPECIFICATIONS

Dimensions


(Internal Between Panels)

3500mm x 2500mm (11ft 5" x 8ft 2")

4500mm x 2500mm (14ft 8" x 8ft 2")

Ordering Options

1. Colour
2. Model Size - See above
3. Floor Style - Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Braemar Summerhouse
(Bespoke Dimensions), Colour Sage





Ardley Gazebo, Colour Olde White

A "walk through" gazebo with a place to rest awhile was the brief for our Ardley Gazebo. Opposing benches create a space perfect for conversation and its surrounding trellis offers the ideal frame for those privacy creating climbing plants. A leaded roof provides further protection when the weather turns.


Tuck this gazebo away or display it elevated as a focal point, either way this is a place to relax and perhaps rest awhile longer!

ARDLEY GAZEBO SPECIFICATIONS

Dimensions
(Internal Between Panels)

1800mm (5ft 11") x 1800mm (5ft 11")

Ordering Options
1. Colour





Tunstall Summerhouse (3400), Colour Ballater

TUNSTALL SUMMERHOUSE SPECIFICATIONS


Dimensions

(Internal Between Panels)

3400mm x 3400mm (11ft 2" x 11ft 2")

Ordering Options

1. Colour
2. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Demand for a corner summerhouse has led to the introduction of our Tunstall Summerhouse. Designed to fit snugly into a corner of the garden, its five glazed panels (three of which open) provide excellent lighting, ventilation, and viewing qualities. Its lead roof over a complex "cathedral" design of solid rafters ensures that its pleasing appearance is continued internally.

Brass fittings, arched tracery to each window and fluted posts are all hallmarks of our attention to detail that allow the Tunstall to take its place amongst our range of high quality structures.

We use our standard water based stain for a rich opaque finish.





Airlie Summerhouse (5200x3200), Colour Clotted Cream

We believe that tailoring the design of a structure to suit its function is an essential feature of all of our buildings; and with its increased standard dimensions this is very apparent in the Airlie Summerhouse.

Whether it be glazed all round incorporating sliding doors to invite the garden in, or as an enclosed storage facility with internal partitions, this structure can fit the bill. Perhaps an internal division might be used to create an enclosed storage area, fronted by a glazed room which can fulfil all the requirements of a summerhouse or home office.

A cathedral style roof finished in lead sits atop creating a most commanding structure. An internal depth of 3.2 metres and a length which can be adjusted to suit almost any situation adds to its flexibility.

A choice of colour from our water based range further ensures individuality and makes occasional paint "touch up" simple without the need for sanding and undercoat preparation, keeping the Airlie Summerhouse looking fresh for years to come.

AIRLIE SUMMERHOUSE SPECIFICATIONS

Dimensions
(Internal Between Panels)

5200mm x 3200mm

Ordering Options

1. Colour
2. Panel Layout
3. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)



Reading Room (4800x2800), Colour Cricket

READING ROOM SPECIFICATIONS

Dimensions

(Internal Between Panels)

4800mm x 2800mm (15ft 9" x 8ft 2")

Ordering Options

1. Colour
2. Floor Style – Plywood (Fitted As Standard) or Hardwood (Optional Extra)

For some, to go to work is to leave the home, to make that psychological step from one environment to another. The Reading Room concept has been developed to fulfil the requirement for office space at home but not inside it. We have introduced a more formal design structure featuring a vaulted domed roof, lined internally with up-lighting and customisable electrics. The sliding doors provide an opening dimension of almost three metres wide. The double glazed panels are continued at high level at each end and finished with a square tracery design and the roof is topped with a decorative crest.

But do you need to be reminded of your work place every time you visit the garden? We feel not, so the design must also feel like a place in which you can relax; a formal structure which can double as a place for recreation.

So if the journey to work fills you with dread, but working in your home feels like incarceration, then perhaps an office in the garden is the ideal solution.



Bespoke Structure, Colour Stoney Down

If you have your own design in mind we are also happy to help. Our extensive experience covers all aspects of design, planning and construction. A flexible approach allows us to offer a bespoke service which takes each design from inception to completion, under one roof.

A small design team work extensively and often closely with our customers on projects covered by many aspects of planning and regulation; we often work with Architects, Garden Designers and Builders on projects that range from small summerhouses that require that "something different" to commercial projects with complicated public space and usage regulations and large structures for export requiring exacting production standards and a guaranteed first time fit!

Our modern computer aided design "CAD" software is linked to computer numerically controlled "CNC" machinery which gives us the ability to produce designs not only from technical or architectural drawings, but also from hand drawn ideas. We are happy to discuss individual requirements without obligation and offer suggestions with only the most basic of information.

Based in the Southeast of England, we are well placed to serve both the UK and further afield. We have undertaken many projects throughout Europe, the Far East and USA.





Coffee Shop To Customers Own Specification



Classic Style Garden Buildings

Recent expansion has included working on larger bespoke commercial contracts. Coffee shops incorporating kitchen areas and WC's, smoking rooms for restaurants and commercial offices are examples of such.

CAD linked to CNC allow us to interpret complex requirements and a flexible approach allows us to take on projects which a traditional joinery shop would find difficult; our recent relocation to larger modern premises has also given us the space to work on larger and more complex structures.

We have experience of planning regulations both in the UK and Europe and have even undertaken large projects in the United States.

Recent experience of new insulation and fire retardant products keep us up to date with modern practices and our own professional and experienced installation teams keep the project "in house" from design stage to key "hand over".



Lynford Arbour, Colour Orchestral Steel

A hand finished and ready assembled seat, the Lynford Arbour combines classical styling with colour to produce a structure which is both pleasing to the eye, and sturdy enough to withstand the rigours of life in the garden.

A choice of two roof styles, each finished in lead, trellised sides for climbing plants and a solid back for privacy and comfortable backrest. The Lynford Arbour will soon blend into its surroundings providing both a place for restful contemplation and a structure that is perfect to relax in.

A choice of colours from our water based range further ensures individuality and makes occasional paint "touch up" simple without the need for sanding or undercoat preparation, keeping the arbour looking fresh for years to come.



LYNFORD ARBOUR SPECIFICATIONS

Dimensions (Max)

2050mm (6ft 7") x 1240mm (4ft 1") x 740mm (2ft 5")

Please use these measurements to check that the Arbour will fit through any tight spots to reach its final position and avoid disappointment!

Approx Weight 100kg

Ordering Options

1. Colour
2. Roof Style - Gothic or Pitched



Burwell Arbour, Colour Ballater

BURWELL ARBOUR SPECIFICATIONS

Dimensions (Max)

2050mm (6ft 7") x 1240mm (4ft 1")
x 650mm (2ft 1")

Please use these measurements to check that the Arbour will fit through any tight spots to reach its final position and avoid disappointment!

Approx Weight 100kg

Ordering Options

1. Colour

An elegant and compact arbour with solid tongue and grooved effect sides and back panel, the Burwell Arbour incorporates a lift up storage box seat and lead roof. Its classic gothic roof shape and solid design produce a piece to grace any garden for many years.

The arbour can be tailored to suit an individual situation through choice of colour. Ease of maintenance is ensured by the use of water based stain which can be easily washed down or retouched, without the need for paint stripping. The Burwell Arbour is supplied ready assembled.

Slightly less deep than the Lynford Arbour, it is also designed to fit through tighter entrances and into more confined spaces such as city gardens and patio areas. Its solid sides are also well suited to locations where maximum privacy is desired.

The lift up storage box seat is included for storage of frequently used smaller items (not recommended for cushions) bringing them closer to hand.

The Burwell Arbour is also covered by the FSC certification system and we are proud to display its coveted logo.



Caston Arbour, Colour Cameo

Beautifully proportioned and constructed mainly from hardwood, incorporating traditional mortice and tenoned joints, the Caston Arbour is designed not just as a beautiful addition to the garden but is built to last. Its classical styling owes its origins to a time when English garden design was at its height, when nothing was left to chance.

Trellised sides for climbing plants, and a solid back for privacy, ensures the Caston is a most substantial arbour. It also comes ready assembled with its pitched roof and attractive lead cover in place.

Produced one at a time and only to order at our factory by craftsmen using traditional techniques, the Caston Arbour is a rare contrast to today's world of mass production.

The choice of colour from our range and colour matching service as an option completes the package and should ensure a perfect fit to any surroundings.

CASTON ARBOUR SPECIFICATIONS

Dimensions (Max)

2200mm (7ft 3") x 1500mm (4ft 11") x 745mm (2ft 5")

Please use these measurements to check that the Arbour will fit through any tight spots to reach its final position and avoid disappointment!

Approx Weight 150kg

Ordering Options

1. Colour



Windsor Arbour, Colour Sage

THE WINDSOR ARBOUR SPECIFICATIONS

Dimensions (Max)

2200mm (7ft 3") ex finial x 1440mm (4ft 9")
x 720mm (2ft 4")

Please use these measurements to check that the Arbour will fit through any tight spots to reach its final position and avoid disappointment!

Approx Weight 150kg

Ordering Options

1. Colour

The Windsor Arbour draws on the classic gothic roof from our Lynford Range and incorporates the traditional joinery methods of the Caston Arbour. Mortice and tennoned joints; mainly hardwood construction and lead roof give the arbour a beautiful appearance and solid feel.

We produce and deliver the arbour from our factory in Suffolk one at a time as with the Caston Arbour, and deliver it ready assembled finished in any choice of colour from our range.

The choice of colour from our water based range further ensures individuality and makes occasional paint "touch up" simple without the need for sanding and undercoat preparation, keeping the arbour looking fresh for years to come.



LYNFORD STORE



Lynford Store, Colour London Stone

The concept of a garden store which complements its surroundings is rare today.

The Lynford Store is an extension to the Lynford Arbour range; taking its pitched roof and dimensions we have added a solid internal floor, fold down potting shelf and selection of accessory hooks to store items ranging from spades and rakes to compost bags and smaller lawn mowers. Tongue and grooved effect doors complete the store, providing an enclosed space for a selection of items for the smaller garden.

Each is ready assembled at our factory and finished to the customer's choice of colour from our range, providing the opportunity to tailor the store to fit its surroundings. The lead roof will mellow in time to an attractive grey / blue colour whilst adding to its longevity.

Galvanised tower bolts and a "pad bolt" closer provide a rust proof finish and location for a padlock for additional security to a unit which can be proudly displayed as a feature item in the Garden.

LYNFORD STORE SPECIFICATIONS

Dimensions (Max)

2050mm (6ft 7") x 1240mm (4ft 1") x 740mm (2ft 5")

Please use these measurements to check that the Store will fit through any tight spots to reach its final position and avoid disappointment!

LYNFORD ECO-STORE



Lynford Eco-store, Colour Midnight Green

The double doors of the Lynford Eco-Store open to reveal in one half four boxes suitable for storing newspapers, bottles, cans and other recyclable materials. The other half provides space for a large, standard, or wheeled bin (not included).

It solves the problem of recycling storage by providing it as an elegant feature in the garden rather than as just an obviously functional unit.

The four cubby holes are fitted with containers ready to start storing those recyclable items.

Its design incorporates the features of our Lynford Arbour range including a lead roof which provides not only protection from the elements but an attractive appearance and choice of colour from our range.

Manufacturing with timber from well managed sources and our feature lead roof allows us to take the concept of recycling into the manufacturing process, the Lynford Eco-store therefore displays the FSC logo.

LYNFORD ECO-STORE SPECIFICATIONS

Dimensions (Max)

2050mm (6ft 7") x 1240mm (4ft 1") x 900mm (3ft)

Please use these measurements to check that the Store will fit through any tight spots to reach its final position and avoid disappointment!



Q 1. Does my product require protection in the winter?

No. All our products (including all arbours) are designed to withstand even the most severe of winter weather.

Q 2. Is the glass toughened?

We use only toughened glass in our structures.

Q 3. How do I install my structure?

All our arbours come ready assembled. Our larger structures are all installed by our own trained fitters (not subcontractors).

Q 4. How does the roof arrive on larger structures?

The roof never arrives in one piece! We create small sections at our factory which are assembled in-situ.

Q 5. Do I need a base?

Arbours

It is not essential, although you may find it easier to position if one exists. We also recommend a hard-standing area to reduce the effects of "splash back" where rain falls onto surrounding ground.

Gazebos

It is preferred that the finished floor covering is in place prior to installation as retrospective fitting is unlikely to provide a satisfactory finish. Please contact our office for recommended dimensions.

Buildings

Normally some form of hard-standing will be required. Individual requirements (dimensions) are available on request however we do require a level surface in all cases. All of our buildings come complete with a sub-frame which creates a platform on which the building sits however this should always sit on level and hard-standing.

Q 6. What if I require light and or power to my building?

Consult a local electrician, who will advise on getting power to the base. We provide an optional electrical package with each of our buildings which includes provision for two sockets and lighting. We will run cables through the building minimising exposed cables and bring them to a point ready for inspection and connection by your electrician. Please note that socket fascias and light switches and fittings are not included.

For information about lighting and socket locations within each structure please contact us for plans.

Q 7. How long will delivery take?

Arbours - Normally four to six weeks, however this might be extended slightly during the busy summer months.

Gazebos & Summerhouses - Normally six to eight weeks, however as with our smaller items this might be extended during the busy summer months.

Whichever product is required, at the time of order we will always provide an estimated delivery week, which we will then reconfirm closer to time, however since all our products are made individually to order this estimate may be subject to slight change.

Q 8. How long will the stain last?

This does depend on circumstances; however our stain manufacturer does suggest a life span of five years. The advantage of using a water based stain against a solvent based product is that the item can be re-stained at any time without the need for time consuming paint stripping and sanding.

Q 9. How do I obtain more information about colours?

We have a standard range of colours and a colour matching service. We can match any colour for an additional charge.

Q 10. Why use lead?

Lead is the heaviest of the base metals, the densest and most durable of those used in building. It can be laid to any pitch, unique in that it can be repaired in situ, and in time can be re cast to produce "new lead", in fact 90% of all lead used in construction today is recycled from old. Lead also improves with age, slowly developing a strongly adhering and insoluble patina providing a formidable resistance to the elements.

Apart from these technical reasons we believe lead also produces a finished appearance quite simply unrivalled by other common modern products such as bitumen tiles and softwood boarding. For these reasons the sheet lead roof has become something of an HSP Garden Buildings trademark; and a sign of quality.



Not just a summerhouse
a room for all seasons



Showground & Information Centre
Birstall Garden & Leisure
19-35 Sibson Road
Birstall
Leicestershire

Telephone: 0800 085 0005
Int. +44 (0) 116 267 7091

Website & On-line Shop
www.birstall.com